

GOVERNMENT OF ANDHRA PRADESH

A B S T R A C T

Public Services - I & CAD Department- Disciplinary action initiated against Sri L. Umamaheshwara Rao Superintending Engineer (Retd) on the allegations of irregularities in construction of Head Regulator at Pothireddypadu and widening of SRMC-package 24- Unauthorized splitting of work and payment made against agreement conditions - Further action dropped- Orders Issued.

=====

IRRIGATION & CAD (SER.X.1) DEPARTMENT

G.O.Rt.No. 467

Dated:14.05.2013

Read the following:

- 1) G.O.Rt.No. 1147 & 1148 , I&CAD (Ser.X-I)Deptt., dt. 8-7-2009.
- 2) WSD of Sri L. Umamaheswara Rao,SE (Retd..) dt. 1.5.2010
- 3) G.O.Rt.No. 654 , I & CAD (Ser.X.2) Dept. dt . 09.06.2010.
- 4) Govt.Memo. No. 12157/Ser.X.1/2008-8, Dt.09..06.2010
- 5) From the CTE, I.R. No. 49/CTE/ATE2/2010, dt. 8.4.2011
- 6) Govt.Memo. No. 12157/Ser.X.1/2008-11, Dt.04 .08.2011
- 7)From the ENC(AW) I & CAD Department, Hyderabad Lr.No. Rc/ENC/S1(4)(4)/76917/2008, dt. 03.01.2012.

&&&

O R D E R:

It was brought to the notice of the Government, that certain irregularities were took place in construction of Head Regulator at Pothireddypadu and Widening of SRMC - package - 24 unauthorized splitting of work and payment made against the agreement conditions and Sri L. Umamaheswara Rao, Superintending Engineer (Retd.) is one among the responsible officers for the said irregularities.

2. In the reference 1<sup>st</sup> read above, disciplinary action has been initiated against Sri L. Umamaheswara Rao, Superintending Engineer(Retd.) by way of issuing articles of charge.

3. In the reference 2<sup>nd</sup> read above, Sri L. Uma Maheswara Rao, Superintending Engineer (Retd.) has been submitted his Written Statement of Defence. After examination of the Written Statement of Defence of the above the Charged officer along with other charged officer, it has been decided conduct a detailed inquiry into the charges framed against them. Accordingly, the Chief Technical Examiner was appointed as inquiring authority to inquire into the charges framed against the charged officers vide reference 3<sup>rd</sup> read above. The Inquiry Officer has submitted his inquiry report vide reference 5<sup>th</sup> read above, stating that the charge framed against Sri L. Umamaheswara Rao, Superintending Engineer(Retd.) is held as not proved.

4. After careful examination of the entire matter, it has been decided accept the findings of Inquiry Authority and to drop further action against Sri L. Umamaheswara Rao, I/c. Superintending Engineer (Retd.), as the charge framed against him is held as not proved. Accordingly Government hereby order to drop further action against Sri L. Uma Maheswara Rao, I/c. Superintending Engineer (Retd.) in the matter.

5. The Engineer-In-Chief (Administration Wing), Irrigation & CAD Department, Hyderabad shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHAILENDRA KUMAR JOSHI  
PRINCIPAL SECRETARY TO GOVERNMENT

To

The Individual through the Engineer-in-Chief (Admn.Wing)  
I & CAD Department, Hyderabad.

The Engineer-in-Chief (Admn.Wing),  
I & CAD Department, Hyderabad.

Copy to :

The Secretary to Vigilance Commissioner,  
APVC, Hyderabad.

The Accountant General, Andhra Pradesh, Hyderabad.

//FORWARDED: : BY ORDER//

SECTION OFFICER